





Beractant
Intratracheal
Suspension
Survanta®
25 mg/mL
4 mL Single Dose Vial
Sterile Suspension
For Intratracheal
Administration only
Not for Injection







Sodium bicarb
Ca gluconate
aminophyllin
Aspirin
Achloralate
Digoxin

[illegible]

clean once

Nutbike

Can be

This is related to load capacity followed by steaming.

Matter printing.
Amylase res. feed.

check all implants
Gie 1 dabster
ingdu


[illegible]

CBS Publishers & Distributors Pvt Ltd





Beractant
Intratracheal
Suspension
Survanta®
25m

























CMDL

INFUSION SET



KMSCL

Caution

"Kerala Government Supplies Not for Sale"

- Do not store in direct sunlight or extreme temperature & high humidity.
- Do not use if package is opened or damaged & Protective cap is detached.
- Do not Use with blood or blood components.
- Gravity Feed Only. • As Per IS 12655
- 20 Drops = 1.0 ml. $\pm$ 0.1 ml


Manufactured by.:

Care Medical Devices Ltd.

(An ISO 13485:2016 Certified Company)
D-1/3B, Sector 13, Gida, Gorakhpur-273209 (U.P.) India
E-mail : customercare@caremedical.co.in

STERILE E.O.

Do not Re-Use



- NON-TOXIC • STERILE
- NON-PYROGENIC • SINGLE USE

CARE[®]

Life Redefined[®]

INSTRUCTIONS FOR USE ;

1. Remove the outer cap of the container and disinfect top.
2. Firmly close the regulator.
3. Remove spike cover and insert the spike at the top of the container to its full length, turn the container upside down and hang it at suitable height.
4. Squeeze the drip chamber until it is filled upto the marks. This prevents air bubbles from entering the fluid path.
5. Remove the protective cover of the needle. Gently release the regulator in order to let the solution flow, keeping the needle above the container level. Gradually lower the needle in such a way that no air bubbles are left in the tube. Let a few drops of solution pass through.
6. Close the regulator.
7. Perform vein puncture and release the regulator to achieve the desired flow rate.

MFG . LIC. NO.: MFG/MD/2020/000308

LOT Batch No.

: IV24085

Mfg & Ster. Date

: 10/2024


Exp. Date

: 09/2027

Needle size

: 22G







100 ml

Manitol Injection IP (20% w/v)

COMPOSITION:
Each 100 ml contains:
Manitol 20 gm
Water for Injection IP q.s.
SINGLE DOSE

FORM IV INJECTION ONLY

STORAGE: Store at temperatures between 20°C and 30°C. Do not allow temperatures to rise above 30°C or fall below 10°C. Do not be exposed to freezing temperatures.

CAUTION: Even minimal leakage to bottle caused during use, storage or handling may result in contamination. Do not use container if found leaking, torn, squashing, contents not clear or contains visible solid particles, which do not dissolve on warming.

STERILE, NON-PYROGENIC, SINGLE DOSE CONTAINER.
KEEP ALL MEDICINES OUT OF REACH OF CHILDREN.
IMPORTANT: Warm the bottle before use in case of crystallization.

Pharmaceuticals Ltd.
234 E, Sector 40, I.I.E. SHOOL, Noida, Uttar Pradesh-201 301, INDIA
(011) 1881 3500/86851



Batch No.: D1A02AAA
Mfg. Date: 03/2025
Expiry Date: 02/2027
20246459


Pharma Pharmaceuticals Ltd.
234 E, Sector 40, I.I.E. SHOOL, Noida, Uttar Pradesh-201 301, INDIA
(011) 1881 3500/86851



Potassium Chloride

Must be diluted before use

For I.V. infusion

Each 10 ml Amp. contains:

Potassium Chloride I.P. 1.5 gm.

Water for Injection I.P. q.s.

Each ml contains:

Potassium Chloride 2mEq

(Approx.)

Potassium Chloride 4mEq

(Approx.)

Storage: Keep in a cool, dry & dark

place, below 25°C. Protect from light.

USAGE: As directed by the Physician.

Keep the medicine out of reach

of children.

Improper Storage may deteriorate the

active ingredients.

Do not use if solution is not clear or
contains suspended particles.





Potassium Chloride

10ml

Must be diluted before use.

For I.V. Infusion

Each 10 ml Amp. contains:

Potassium Chloride I.P. 1.5 gm.

Water for Injection I.P. q.s.

Each ml contains:

Potassium Chloride 2mEq.

(Approx)

Potassium Chloride 4mOsmol.

(Approx)

Storage : Keep in a cool, dry & dark

place, below 25°C. Protect from light.

DOSAGE : As directed by the Physician.

Keep the medicine out of reach

of children.

Improper Storage may deteriorate the

active ingredients.

Do not use if solution is not clear or

contains suspended particles.



Calcium Gluconate

Each 5ml contains :
Calcium Gluconate I.P. 500mg
Calcium D-Saccharate
In.P.H. 0.45% w/v
(As stabiliser)
Water for Injection I.P. q.s.
10% Calcium Gluconate
equivalent to 0.9% of Calcium.

Dose :
As directed by the Physician.

Storage :
Store in cool, dry & dark place.

Caution : Use the medicine
under medical supervision. Do
not use if any particle or
suspended matter visible &
ask for replacement.

Calciohin 500mg 10ml

away 20-30 min.
redevelops 2-3 weeks.

4-6 mil

→ scan by (8-12 wra

water Syrah.

Conducter $\rightarrow$ pneumococcal.

are spherulites

rhombic

hlea implants

cell anastomosis

type 1 diabetes

hence king da

Nutrite

pan boiled Rise $\rightarrow$

This is
retar

1. load 300

9

green gum $\rightarrow$ stretching $\rightarrow$ secondary $\rightarrow$ paint $\rightarrow$ powder.
1st $\rightarrow$ PEM, ~~non~~ persistent asthma.

ARE $\rightarrow$ PEM, ~~may~~ persistent diarrhea

Anyone Rech für $\rightarrow$ bulle $\downarrow$, digested $\uparrow$.

Raggi , Black gram , Bengal gram, Egg, ~~Chole~~ ^{white} Chole,
 Horse gram, Dhal mache + coconut $\longrightarrow$ Pulao C...

Housegram, dal
'Supplementary action of protein - pulse + cereal $\Rightarrow$ Cereal -

Cereals - 50 cal 11-12g

Cereals — 50 Real 20-25g

protein - 430 cal 40g protein.

vee

200, Zinc

water & such in vibr
green, yellow - B
certainly - vi

(100%) 2y.

- Carbohydrate & vit c

where - Avidin $\rightarrow$ Biotin intake $\downarrow$

as Drugs

Rabies:

Berclant - Istakachest supracom









SODIUM BICARBONATE
सोडियम बाइकार्बोनेट

For intravenous use only
Composition:
Sodium Bicarbonate I.P. 150mg
Water for Injections I.P.

Approximate millimoles (mmol)
Sodium ions
Bicarbonate ions

Dosage:
As directed by the Physician
Store in single dose containers
The injection should not be used
if it contains visible particles.
Keep all medicines out of reach
of children.

Manufactured by
ALPA LABORATORIES
332, A. B. Road, Pimpri
411 004, Indore (M.P.)





Frusemide Injection
Lasix®
Warning : To be sold by
prescription of a Registered
Practitioner only.
Each ml contains :
Frusemide I.P.
Water for Injection I.P.
For i.m. or slow i.v. use.
Protect from light
Mfg. Lic. No. KD-298U
Made in India By :
AVENTIS PHARMA LIMITED
J-174, M.I.D.C., Tarapur
Borsar, Thane-401 506



ZINC SULPHATE D50
ZINC SULPHATE D50
ZINC SULPHATE D50









N-ACETYL CYSTEINE
For IV use only - 200 mg/mL
Composition:
Each mL contains
Acetylcysteine, USP
Water for injections, q.s.
Dosage: As directed by the
Physician.
Storage: Store protected from
light at a temperature not
exceeding 25°C.
Keep the medicine out of reach
of children.
If any suspended particles
appear in the solution, do not use & return
for replacement.
Caution: Not to be used by mouth without
the prescription of a Registered Health
Practitioner.



N-ACETYLCYSTEINE SOLUTION

(1000 mg/5 ml)

200 mg
q.s.

Manufactured by the
Kerala Government

Not for sale
Mfg. Lic. No.: M/3/00

Batch No.:
Mfg. Date: 1

Expiry Date: 1

Not to be sold by retail without
a Registered Medical Officer's order





5ml
DOPAMINE
HYDROCHLORIDE
INJECTION USP
DOMIN[®]
Infusion after
contains: Dopamine
Hydrochloride USP 40 mg
Injection I.P. q.s.
This is a potent drug
must be diluted before use.
Prescribed by the Physician.
LABORATORIES LIMITED
Est. M. Caves Rd.,
Mumbai - 400 093.

Store in
from light
Warning:
need to
Dopamine
Infusion
haemorrhage
ECHO
and
Regimen
Contra
indication
adults
M.L. No.
B. No.
M.D.
E.D.
M.R.P.
(Incl. of
© Reg.
Warrant
Patent



Rx
DOPAMINE
HYDROCHLORIDE
INJECTION USP
DOMIN
For I.V. Infusion at
1:1 dilution
Each ml contains: Dopamine
Hydrochloride USP, 40 mg
Water for Injection I.P.
Warning: This is a potent drug
which must be diluted before
use.
Dose: As directed by the Physician
MADE IN INDIA BY:
NEON LABORATORIES LTD.,
28, Mahatma Ind. Estate, M. Ch. Road,
Anand (East), Mumbai-400 001





Atropine
Sulphate Injection
Keep all medicines out of reach of children
Mfg. Lic.No. BR-7/JN/AN/21
Batch No.: 203
Mfg. Date: Mar '23
Expiry Date: Feb '25
M.R.P. Rs.: 4.88
(Inclusive of tax)
Manufactured in India by:
HINDUSTAN
Medicines Pvt Ltd
Bareilly - 251112







Rx
ADRENALINE BITARTRATE
INJECTION I.P.
Vasocon
For I.M. / S.C. / I.V. after
Each ml contains:
Adrenaline Bitartrate I.P.
equivalent to Adrenaline
Water for Injection I.P.
Dose: As directed by the
Physician.

MADE IN INDIA BY
NEON LABORATORIES
Boisar Road, Palghar (Dist.)



Trohin

0.6 mg / ml

For IM/ IV/ SC use

Each ml contains :
Atropine Sulphate I.P. 0.5mg
Water for Injection I.P. q.s.

Dose : As directed by the Physician

Storage : Keep in cool place
protect from light.
Improper storage may deteriorate
the active ingredients.

Caution : Do not use if any particles
or suspended matter visible & ask
for free replacement.



Phenytoin Sodium Injection

Eptoin Injection

50 mg

2 ml Ampoule

Each ml contains:

Phenytoin Sodium IP

Water for Injection IP

Contains Ethyl Alcohol

Store at a temperature not above 30°C

The injection must not be given by intrathecal administration

Do not use in case there is any crystalline crystals or deposits in the ampoule

Made in India by:

Sun Pharmaceutical Industries

Halol-Baroda Highway, Halol

CAUTION : It is dangerous to use this preparation except under medical supervision

EP-BL-04/02



Sodium Injection USP
Injection

Ampoule
Contains:
Sodium IP 50mg
Injection IP q.s.
Ethyl Alcohol 9.5% v/v

At a temperature not exceeding 30°C
Injection must not be diluted before
use.
In case there is any haze
or deposits in the ampoule
discard.
Manufactured by:
Abbott Pharmaceutical Industries Ltd.
Haldia Highway, Haldia - 389 350, India

It is dangerous to take this
injection except under medical supervision.

Abbott



Rx **PHYTOMEN**

Vitamin K-1 Injection

Each ml contains:
Phytomenadione BP 10mg
Water for Injection IP q.s.
Do not use if separation or droplets occur.

Dosage: As directed by the

Storage: Store at temperature not exceeding 25°C in a dark place. Do not freeze.

Manufactured in India by

Giron Drugs

& Pharmaceuticals Pvt. Ltd.

N-118, 119, M.I.D.C., Tarapur

Borisar, Dist Thane - 401 508



Betamethasone Sodium Phosphate

Each ml. contains :
Betamethasone Sodium Phosphate IP
Equivalent to Betamethasone 4 mg
Water for Injection IP

Dose : As directed by the physician.
Storage : Store protected from light at a temperature
Do not use if any visible particle appears.

SCHEDULE H PRESCRIPTION DRUG - CAUTION
Not to be sold by retail without the prescription
of a Registered Medical Practitioner.

Mfg. Lic. No. 28/499
Batch No.: BTA 12404
Mfg. Date: 07/2023
Exp. Date: 06/2025



Betamethasone

Betamethasone
Each ml. contains :
Betamethasone Sodium
Equivalent to Betamethasone
Water for Injection IP
Dose : As directed by the
Storage : Store protected from
Do not use if any visible

SCHEDULE H PRESCRIPTION
Not to be sold by retail
of a Registered Medical

Mfg. Lic. No. 284
Batch No.: BTA
Mfg. Date: 07/20
Exp. Date: 06/20



DEXAMETHASONE INJECTION


For IM / Slow IV / SC use

Schedule H Drug
WARNING: To be sold by
on the prescription of a
Registered Medical Practitioner

Mfg. Lic. No. KD-74
Batch No. 5E84
Mfg. Date 08/20
Exp. Date 07/22

KMSCL

Wholesale Supply -
Not for sale



RANITIDINE INJECTION IP 50mg

2 ml, Ampoule

Unique's
RANTAC

Each ml contains
Ranitidine Hydrochloride IP 25mg
equivalent to Ranitidine 25mg
Phenol IP 5 mg as preservative
Buffered aqueous base

Dosage & Administration:
As directed by the Physician.
Store in a cool dark place.
Refer leaflet for further instructions.

Marketed in India by
J. B. CHEMICALS & PHARMACEUTICALS
Neelam Centre, 'B' Wing, 4th Floor,
Hind Cycle Road, Worli, Mumbai - 400 025
® Regd. Trade Mark



RANITIDINE INJECTION

2 ml, Amp

Unique's
RANITIDINE

Each mL contains
Ranitidine Hydrochloride
equivalent to Ranitidine Base 50 mg
Phenol IP 5 mg
Buffered aqueous solution
Dosage & Administration
As directed by the physician
Store in a cool place
Refer leaflet for details

Marketed in India by
B. CHEMICALS
Hyderabad and Cycle Road
Regd. Trademark

Max. Retail Price Rs. 3.45
inclusive of all taxes


Mfg. Lic. No. PD-100
Mfg. by: Agro Pharmaceuticals Ltd,
T-82, MIDC, Bhosari, Pune - 411026

SCHEDULE H DRUG

WARNING: To be used by oral or intravenous route only.
For intramuscular or subcutaneous injection, refer to the instructions.







Rx

500mg

VANCOMYCIN HYDROCHLORIDE

FOR INTRAVENOUS INFUSION I.P.

VANKING[®] 500

For I.V. Infusion after dilution

CHROMATOGRAPHICALLY PURIFIED

Vancomycin Hydrochloride.

500,000 IU per vial.

1,000 IU per mg of Vancomycin.

NEON

वैनकिंग

SCHEDULE H PRESCRIPTION DRUG - CAUTION
Not to be sold by retail without the prescription
of a Registered Medical Practitioner

Each vial contains: Sterile
Vancomycin Hydrochloride I.P.
equivalent to Vancomycin 500 mg

Reconstitute with 10 ml of Sterile
Water for Injections I.P. Must be
further diluted before use.

Use immediately after preparation
if it is clear.

Dose: As directed by the Physician.

Works: Plot No. 29 to 32 & 57, 60 The Palghar Taluka Industrial
Co. Op. Estate Ltd., Boisar Road, Palghar - 401404, M.S.



Injection IP 1,000,000 Units
For reconstitution add 2 ml
Sterile Water for Injection IP.
Shake well to make solution
Manufactured by:
Pharmaceuticals Limited
Gurgaon, Haryana 122 001
INDIA
Tel: 0120 281 93
Lot No. P21519 MFG. DT.: AUG 19 E
MRP RS 12.75 INCLUSIVE OF

SCHEDULE H PRESCRIPTION DRUG-CAUTION
Not to be sold by retail without the prescription of a
Registered Medical Practitioner.



Vysali PHARMA
Rx Benzylpenicillin Injection
CRISPEN-10
Each Vial Contains:
Benzylpenicillin Sodium IP
1,000,000 Units
FOR IM / IV INJECTION
KEEP IN A COOL DRY PLACE
DT: AUG 19 EXP. DT: JUL 21
B. No. P. MRPS
Vysali Pharmaceuticals
D/655, Edappally, Ernakulam
COCHIN, INDIA
Mfg. Lic. No. 251/2018

Composition :
Each vial contains ;
Methylprednisolone Sodium
Succinate USP equivalent to
Methylprednisolone 1000 mg

Dissolve the contents in 10 mL
of sterile WFI IP or in as
required solvent.

The constituted solution
should be used immediately
after preparation. It should not
be allowed to freeze.

Dose : As directed by
the Physician.

SCHEDULE H PRESCRIPTION

DRUG-CAUTION: Not to be sold by
retail without the prescription of a
Registered Medical Practitioner.

Rx Methylprednisolone
Sodium Succinate
Injection

1000 mg





Storage: Store protected from moisture, at a temperature not exceeding 30°C. For intramuscular or intravenous injection. Mfg. Lic. No. RA/ 2010

CEFUROXIME INJECTION IP

750 mg

Batch No. C230101
Mfg. Date 01/2020
Exp. Date 12/2020

Manufactured by:
Vivek Pharmaceuticals Pvt. Ltd.
NH-8, Changanassery, Kottayam-706 001, Kerala

KMSCL KERALA GOVT SUPPLY NOT FOR SALE



Each Vial contains:
Ampicillin Sodium IP equivalent to Anhydrous
Ampicillin 500 mg

KEEP IN A COOL DRY PLACE.

Dosage: As directed by the Physician.

Direction for use:

Reconstitute with Sterile Water for Injections P
Prick the ampoule of Sterile Water for Injections and
discard the ampoule. The reconstituted solution should be
immediately and not to be stored.

SCHEDULE H PRESCRIPTION DRUG
Not to be sold by retail without the prescription of a
Registered Medical Practitioner.





Each vial contains :
Cefuroxime Sodium IP (Sterile)
eq. to Cefuroxime 750 mg

Reconstitute to 10 ml by adding
Sterile Water for Injection IP

The constituted solution
should be used immediately
after preparation. It should
not be allowed to freeze.

DOSE : As directed by the
Physician.

Keep all medicine out of reach
of children.

SCHEDULE H PRESCRIPTION
DRUG-CAUTION: Not to be sold or
retail without the prescription of
Registered Medical Practitioner

**Rx CEFUROXIME
INJECTION**

750 mg



2ml.
Rx
Dexamethasone
Sodium Phosphate
Injection I.P.
4mg/ml

Each ml. contains :
Dexamethasone Sodium
Phosphate IP equivalent to
Dexamethasone Phosphate 4mg.
Methyl Paraben IP 0.15% w/v
Propyl Paraben IP 0.02% w/v
(As preservative)
Water for Injection IP q.s.
Dose : As directed by the Physician.

Warning : To be sold by retail on the
prescription of a Registered Medical
Practitioner only.

Storage : Store protected from light at
a temperature not exceeding 30°C.

FOR IM & IV USE
Do not use if the solution is not clear.
Single dose Vial.

Each vial contains :
Cefotaxime Sodium IP eq.
to 1000 mg of Cefotaxime
Reconstitute to 10 ml by adding
Sterile Water for Injection IP
Prepared solution should
be used Immediately.

**SCHEDULE H1 - PRESCRIPTION
DRUG - CAUTION** -It is dangerous
to take this preparation except
in accordance with the medical advice.
-Not to be sold by retail without the
prescription of a Registered Medical
Practitioner.

Rx
Cefotaxime





Cefotaxime Injection IP
1000 mg
KMSCL
KERALA GOVT SUPPLY
NOT FOR SALE



R_x

5 ml

Midazolam Injection IP

1mg/ml

For IM/ IV use



കേരള സർക്കാർ വിതരണം - വില്പനയ്ക്കുള്ളതല്ല
Kerala Govt. Supply - Not For Sale



Expiry Date: 06 2020

ADENOSINE INJECTION I.P.
Adenocor®

Each vial contains 6 mg Adenosine I.P. in 10 ml of 0.9% w/v solution of sodium chloride in water for Injection I.P.

For rapid Intravenous Injection only.

Vials for single use only.

Special precautions for storage:

Do not refrigerate. Any portion of the vial not used should be discarded at once.

Dose: As directed by the physician.



Composition:
Each vial contains:
Acyclovir Sodium (Sterile) IP
Eq. to Acyclovir 50 mg

Dosage: As directed by the physician.


Storage:
Store in a cool, dry & dark place.
Protect from moisture.

Keep out of reach of children.

Direction for use:
Dissolve the content of the vial with sterile water for injection IP. Prick the ampoule of sterile water for injection IP only once & discard the ampoule. The reconstituted solution should be used immediately & not to be stored.

SCHEDULE H PRESCRIPTION ONLY
CAUTION: Not to be used by retail without the prescription of a Registered Medical Practitioner.

Caution: If any foreign matter is visible in the solution, do not use. If the solution is discolored, do not use. If the solution is cloudy, do not use. If the solution is not clear, do not use. If the solution is not clear, do not use.



500mg

Rx Acyclovir
Intravenous
Infusion IP

FOR I.V. INFUSION USE ONLY
SINGLE DOSE VIAL



SCHEDULE H DRUG: WARNING: To be sold by retail only on the prescription of a Registered Medical Practitioner.

Manufactured by:
Famar Health Care Services, S.A.U., Avenida de Europa, 62, Alcorcon, 28923, Madrid, Spain

Importer: Sanofi Synthelabo (India) Pvt. Ltd. Global Warehousing complex, Bldg. No. 3, Gala No. 64, No.120-121, Village Vadpe, Bhiwandi-Thane Road, Maharashtra

Import Lic. No.: FF-550-17393

Maximum Retail Price per vial ₹ 181.26 inclusive of all taxes




Storage: Store protected from light & moisture at a temperature not exceeding 30°C.
Mfg. Lic. No.: Reg. 2008
Batch No. HCT23063
Mfg. Date 10/2023
Exp. Date 09/2025

Hydrocortisone Sodium Succinate Inj. IP
FOR IM/IV USE 100mg

KMSCL
KERALA GOVT SUPPLY NOT FOR SALE

Manufactured by:
Vivek Pharmaceuticals (India) Ltd.
NH-8, Changanassery, Kerala
Jalgaon-362 102, INDIA



Each vial contains :
Hydrocortisone Sodium
Succinate USP eq. to
Hydrocortisone 100 mg
Reconstitute to 5 ml by adding
Sterile Water for Injection IP
The constituted solution should be
used immediately after preparation.
The prepared solution should be
used only if it is clear.
DOSE : As directed by Physician.

SCHEDULE H PRESCRIPTION
DRUG CAUTION: Not to be sold by
retail without the prescription of a
Registered Medical Practitioner.

Rx Hydrocortisone
Succinate




FOR INJECTION



Pneumococcal Polysaccharide
Conjugate Vaccine (Adsorbed) Ph.Eur.,
13-valent

Prevenar 13®



Each 2ml contains
Gentamicin Sulfate 1.2
equivalent to Gentamicin 80.0 mg
Methyl Paraben 1 P. 0.75% w/v
Propyl Paraben 1 P. 0.025% w/v
Water for Injection 1 P. 3%

Manufactured by
Parentec Pharma Pvt Ltd.
45 Ind Area, Ph-III, Gurgaon,
Haryana-122019

SCHEDULE H DRUG - Warning to be
used by retail on the prescription of a
Registered Medical Practitioner only



2ml.
GENTAMICIN SULPHATE
INJECTION IP
INTAGENTA
(INTAS)

Marketed by :
INTAS PHARMACEUTICALS LTD.
Matoda 382210
Dist. Ahmedabad INDIA

इन्टाजेन्टा

IPQ014A23

POLIO MYELITIS VACCINE (INACT)

ShanIPV®

M-4 Dose Vial
2.5 mL - 5 Doses / Vial
Suspension for Intramuscular or
Subcutaneous route

One dose (0.5 mL) contains:

Active Substances:

Poliovirus (inactivated)

Type 1 (Mahoney strain) 40 DU**

Type 2 (ME-1 strain) 8 DU**

Type 3 (Capehart strain) 32 DU**

Produced on VERO cells; DU: D-unit, unit of

equivalent antigenic quantity determined

by suitable immunochemical method.

Preservatives: 2-phenoxyethanol 2.5 µL

Formaldehyde 12.5 µg

Read the package insert
Store in a refrigerator
Protect from light
Do not shake

**CGS NOT FOR SALE

ShanIPV is a registered trademark




2ml
CAFFEINE CITRATE
INJECTION USP
Cafneon*
For I.V. use only
40mg/2ml
NEON



Typhoid Vi Conjugate Vaccine

ZyVac TGV

Each dose of 0.5 ml contains:
Purified Vi-capsular polysaccharide
of *S. typhi*
Conjugated to Tetanus toxoid
(Cernier protein)
2-Phenoxyethanol (as preservative)
Isotonic buffer solution
Store at 2°C to 8°C. Do Not Freeze.
Refer pack insert for administration.
Warning: To be sold by retail on the premises
of a Registered Medical Practitioner only.



Diphtheria, Tetanus, Pertussis
(Whole Cell), Hepatitis B (rDNA)
and Haemophilus Influenzae Type b
Conjugate Vaccine (Adsorbed) I.P.

डिफ्थीरिया, टेटेनस, पर्दुसिस (संपूर्ण कोशिका),
हेपेटाइटिस बी (आरडीएनए) और हेमोफिलस इनफ्लुएंजा
टाइप बी कन्जुगेट वैकसीन (अवशोषण प्रकार) आई.पी.

Vial of ten doses - 5.0 mL

BE

Batch No. 22010572AA
Exp. Date: MAY 2024
Lot No. 22010572AA

Diphtheria, Tetanus, Pertussis
(Whole Cell), Hepatitis B (rDNA)
and Haemophilus influenzae Type b
Conjugate Vaccine (Adsorbed)

Shan5™

5 mL - 10 Doses / Vial

**Suspension for
Intramuscular Injection**

Meets W.H.O. Requirements



8904006400432

Each dose of 0.5 mL

Active ingredients

Diphtheria toxin

Tetanus toxin

B.pertussis (whole cell)

rDNA Hepatitis B

Purified capsular antigen

of Hb conjugated to

of Tetanus toxin

Excipients


Thiomersal

Aluminum Phosphate

equivalent to 0.125

Sodium Chloride

Water for Injection



Each dose of 0.5 mL contains:

Active ingredients

	Per Dose
Diphtheria toxoid	≥ 30 IU
Tetanus toxoid	≥ 60 IU
B pertussis (whole cell)	≥ 4 IU
rDNA Hepatitis B Surface Antigen	10 µg
Purified capsular polysaccharide of Hib conjugated to 20-40 microgram of Tetanus toxoid (carrier protein)	10 µg

Excipients


Thiomersal	0.05 mg
Aluminum Phosphate Gel equivalent to Al ⁺⁺⁺	0.025 mg
Sodium Chloride	4.5 mg
Water for injection	q.s. to 0.5 mL

Manufactured by
SILANTHIA
Survey No. 274, New
Range, Hoshiarpur

Each dose of 0.5 mL contains:
Diphtheria Toxoid ≥ 20 IU to ≤ 30 IU
Tetanus Toxoid ≥ 5 IU to ≤ 25 IU
B. pertussis ≥ 4 IU
Adsorbed on Aluminium
Phosphate (AlPO_4) ≥ 1.5 mg
Preservative:
Thiomersal I.P. 0.01% w/v
Dose: 0.5 mL Intramuscularly
Store between 2°C and 8°C
NOT TO BE REUTERED
NOT TO BE STORED IN ICE
COMPARTMENT
SHAKE VIGOROUSLY BEFORE
USE TO MAKE UNIFORM
SUSPENSION

Batch No.:

A0900920



Diptheria,
Tetanus and
Pertussis
Vaccine
(Adsorbed) I.P.

डिपथीरिया, टिटनेस,
परटुसिस वैक्सीन
(आइसाराड) आई.पी.

10 dose vial

5 mL



Mfg. Date:


MAR. 2025



Budecort
Budesonide Respirator Suspension
respires 0.5mg
Cipla
3043 U
NS 50




Composition:
Each dose of 0.5 mL contains:
Pneumococcal polysaccharide serotype 1 3.0 µg
Pneumococcal polysaccharide serotypes 3, 4, 5, 7F, 9V, 14, 18C, 19A, 19F, 22F, 23F and 33F 2.0 µg
Pneumococcal polysaccharide serotype 6B 4.4 µg
Adsorbed onto Aluminium Phosphate, as Al⁺⁺⁺ ≤ 0.75 mg
2-Phenoxyethanol 2 mg
Polysaccharides conjugated to 20-50 µg of CRM₁₉₇
Dose : 0.5 mL
DO NOT FREEZE, SHAKE WELL BEFORE USE.
Dosage form and administration:
Suspension for intramuscular injection
Store Between +2° C to +8° C
Before use, read the enclosed package insert.
Keep out of reach of children



Pneumococcal
Polysaccharide
Conjugate Vaccine
(Adsorbed) I.P.
(14 Valent)
न्यूमोकोकल पॉलीसेकेराइड
कांजुगेट वैक्सीन
(अधिशोषित) आई.पी. (14 वैलेंट)
2.5 mL - Five Dose Vial





5 mL
Tetanus Vaccine (Adsorbed) I.P.
Abhay-TOX®
For Intramuscular use only
WARNING:
To be sold by retail on the prescription of
a Registered Medical Practitioner only
Mfg. Date: Exp. Date:
DEC15 NOV18



Multi Dose Vial - For Human use
Store between +2°C and +8°C.

SHAKE WELL BEFORE USE

Manufactured & Marketed by:

Human Biologicals Institute

(A Division of Indian Immunologicals Limited)

Rakshapuram, Gachibowli P.O.,


Hyderabad-500 032, India.

® Registered Trademark

Mfg. Lic. No.: 02/RR/AP/2005/VIR



PHL30744/01/1/16



5 mL
Hepatitis B Vaccine (rDNA) L2
Elovac-B[®]
For Intramuscular use only
SCHEDULE H PRESCRIPTION DRUG - CAUTION
Not to be sold by retail without the prescription
of a Registered Medical Practitioner.
Mfg. Date: Exp. Date:
OCT 23 SEP 23

POLIOMYELITIS VACCINE (INACTIVATED)
(ShanIPV[®])

Multi Dose Vial

2.5 mL - 5 Doses / Vial

Suspension for Intramuscular or
Subcutaneous route

Each 0.5 mL single dose contains:

Active Substances:

Poliovirus (inactivated)

Type 1 (Mahoney strain)[#]40 DU⁺⁺

Type 2 (MEF-1 strain)[#]8 DU⁺⁺

Type 3 (Saukett strain)[#]32 DU⁺⁺

[#]produced on VERO cells; ⁺⁺DU: D-antigen Unit;
or equivalent antigenic quantity determined
by suitable immunochemical method.

Excipients: 2-phenoxyethanol.....2.5 µL
Formaldehyde.....1:5 µg

Read the package insert
Store in a refrigerator
in order to maintain
effectiveness

*CGS NOT FOR SALE
without a valid license



Multi dose vial - For Pediatric use
Store between +2°C and +8°C.
SHAKE WELL BEFORE USE
Manufactured & Marketed by:
Human Biologicals Institute
(A Division of Indian Immunologicals Limited)
Rakshapuram, Gachibowli P.O.,
Hyderabad-500 032, India.

© Trade Mark

Mfg. Lic. No.: 02/RR/AP/2005/VR

PL10261/03/21

Exp. Date:

SEP 25



Composition:

Each 0.5 mL containing

Purified HBsAg 10.0 µg

Aluminium Hydroxide Gel

equivalent to Al⁺⁺⁺ 0.25 mg

Thiomersal (as preservative) 0.025 mg

Phosphate Buffer q.s. to 0.5 mL

Recombinant HBsAg produced in

Pichia pastoris.

Do not freeze.


Discard vaccine if frozen.

Dosage and Administration:

0.5 mL for intramuscular use only.

Refer Literature for further information.

Batch No.: 23GHBV018




Diphtheria and Tetanus
Vaccine (Adsorbed) for
Adults and Adolescents I.P.

डिप्थीरिया और टिटनेस वैक्सीन
(अधिशोषित) व्यस्क और
किशोरों के लिए आई. पी.

Ten Dose - 5.0 mL







2 mL 20 Doses
Bivalent Poliovirus Vaccine Type 1 & 3, Live (Oral)
BIPOLIO B1/3 बिलियो बी/३
1 dose = 0.1 mL (2 drops) contains:
Primary Monkey Kidney Cell Culture - derived
Poliovirus Type 1 (Sabin) - 10^6 CCID₅₀
Poliovirus Type 3 (Sabin) - 10^6 CCID₅₀
Stabilized with Magnesium Chloride (MgCl₂ 1M)
Benzoyl Sulphate IP - 5 µg
Benzoyl Acid Sulphate IP - 5 µg
Water for Injections IP - 1.5 to 0.1 mL
Not for injection. For oral use only.
Monovalent Poliovirus (Sabin) Bulk supplied by
PT. Bio Farma Indonesia



**Rabies Human M
Rabishield - 100**

For local infiltration in the w

Each ml contains:

Rabies Human Monoclonal Antibody

Dose: Refer product leaflet.

Store at 2° to 8°C Do not freeze

Medicine: Keep out of the reach of



Manufactured by:

SERUM INSTITUTE OF INDIA

212/2, Hadapsar, Pune 411 028, India

Each dose of 0.5 mL contains:
Diphtheria Toxoid ≥ 2 IU
Tetanus Toxoid ≥ 5 Lf to ≤ 25 Lf or ≥ 20 IU
Adsorbed on Aluminium
Phosphate (as AlPO_4) ≥ 1.5 mg
Preservative: Thiomersal I.P. - 0.01 % w/v
Dose:
0.5 mL for Intramuscular Injection
Store between 2°C to 8°C
DO NOT FREEZE
Shake well before use
Vial of 10 doses
Mfg. Lic. No.: 01/RR/AP/2008 V/R
C.G.S. NOT FOR SALE
सी.जी.एस. बिक्की के लिये नहीं

Each dose of 0.5 mL contains:
Diphtheria Toxoid ≥ 2 IU

Tetanus Toxoid ≥ 5 Lf to ≤ 25 Lf ≥ 20 IU

Adsorbed on Aluminium

Phosphate (as AlPO_4) 1.5 mg

Preservative: Thiomersal I.P. 0.1% w/v

Dose:

0.5 mL for Intramuscular Injection

Store between 2°C to 8°C

DO NOT FREEZE

Shake well before use

Vial of 10 doses

Mfg. Lic. No.: 01/RR/AP/2006

C.G.S. NOT FOR SALE

बी.बी.एस. बिजली के बिना नहीं

Human Monoclonal Antibody

Field-100 100 IU / 2.5 ml

Injection in the wounds and I.M. use

Monoclonal Antibody 40 IU

Do not freeze

Do not freeze

Keep out of the reach of children

MFG. LIC. NO.: 10

INSTITUTE OF INDIA PVT. LTD.

Plot 411 028, INDIA

20013967/13



Haemophilus influenzae Type b

hexa

1 dose (0.5 mL) (Hib)

The vaccine to be reconstituted with DTaP-HBV-IPV

Mix the reconstituted vaccine well before use.

Lot Licence: SV-15-3. Store at +2°C to +8°C.

Do not freeze. Protect from light. Refer leaflet.

SCHEDULE H PRESCRIPTION DRUG - CAUTION

Not to be sold by retail without the prescription of a Registered Medical Practitioner.


Type b Conjugate Vaccine IP

MRP ₹ 3399.00 incl. of all taxes.

Individual components not to be
sold separately. Deep I.M. inj.


Mfd. by: GSK Biologicals S.A.,
Rixensart, Belgium.

Imp. & Mkted. by: GSK Pharmaceuticals
Ltd., Tamil Nadu-77.





Live Attenuated, Oral) IP
(1 ml) - NOT FOR INJECTION
Do not freeze. Protect from light.
Use only after reconstitution.
Available by retail on prescription of R.M.P.
MRP Rs. 1613.00 incl. of all taxes.
Not to be sold separately. Refer to
Rixensart S.A., Rixensart, Belgium.
Pharmaceuticals Ltd., Chennai-77.



Rotavirus Vaccine (Live Attenuated)
Rota **rix** 1 Dose (1 ml)
Store at 2°C to 8°C. Do not freeze.
For oral administration only.
WARNING: To be sold by retail only.
Import Licence: SV-64-11.18
Individual components not for sale.
Mfd. by: GSK Biologicals S.A.
Imp. by: GSK Pharmaceuticals Ltd.


LOT: 1908A41
EXP. DATE: 12/2019



1 ml (0.05 ml - 20 doses)
SII Bacillus Calmette-Guérin
(Freeze-dried)

Live attenuated BCG Vaccine (*Bacillus Calmette-Guérin*)
Each 1 ml contains between:
 2×10^6 and 8×10^6 Colony Forming Units
Dose: 0.05 ml for children under one month of age
0.1 ml for children over one month of age and adults
Reconstitute with 1 ml of Sodium Chloride Injection
Store in dark between 2°C and 8°C .
Do not expose the vaccine to light before and after use.
Follow instructions as mentioned in the product leaflet.

USE IMMEDIATELY AFTER RECONSTITUTION
Manufactured by: MFG. LIC. NO. 105/110
SERUM INSTITUTE OF INDIA
S. No. 105 - 110, Marjari Bk., Pune-411 004



5 ml - 10 doses

MEASLES AND RUBELLA VACCINE (LIVE) (L.P.)
(Freeze-Dried)

Measles virus (Edmonston-Zagreb strain)
Rubella virus (RA 27/3 strain) propagated

Contains
Measles virus
Rubella virus

SALE

Reconstitute with Sterile Water for Injections, I.P. supplied
for simultaneous injection.
Not for use in pregnant women.

MFG. LIC. NO.: 10
INSTITUTE OF INDIA PVT. LTD.
Pune 411 028, INDIA

DO NOT USE AFTER RECONSTITUTION
DO NOT USE UNUSUED PORTION



5 ml - 10 doses
MEASLES AND RUBELLA
(Freeze-Conserved)
Live, attenuated Measles virus (Edmonston) and Rubella virus (Wistar RA 27/3) grown on human diploid cells
Each dose of 0.5 ml contains
NOT LESS THAN *CGS*
1000 CCID₅₀ of Measles virus
1000 CCID₅₀ of Rubella virus
Reconstitute with 5 ml Sterile Water for Injection
Dose: 0.5 ml by subcutaneous injection
Do not administer to a pregnant woman
Manufactured by:
SERUM INSTITUTE OF INDIA
212/2, Hadapsar, Pune 411 001
USE IMMEDIATELY AFTER RECONSTITUTION
DISCARD UNUSED PORTION



Rotavirus Vaccine (Live Attenuated)

ROTASIIL

2.5 ml - 1 dose

Contains:
Human Rotavirus Reassortant
 $\geq 10^{5.5}$ FFU / Serotype
Diluent for Rotavirus Vaccine,
(sterile)
For oral use only. *Grown on vero cells,
meets W.H.O. Requirements.

MFG.LIC.NO.: 10
INSTITUTE OF INDIA PVT. LTD.
Pune 411 028, INDIA
20014534/0




Rotavirus Vaccine (Freeze-Dried) **ROTASIL**

Each dose of 2.5 ml contains :
Live Attenuated Bovine - Human Rotavirus
[G1, G2, G3, G4 and G9]* $\geq 10^{6.6}$ FFU/3ml
(Reconstitute with 2.5 ml of Diluent for Rotavirus
(Sodium Bicarbonate Buffer)
Store 2.5 ml by oral administration only. *Granules
Store below +25°C. Meets W.H.O. Requirements
Manufactured by :
SERUM INSTITUTE OF INDIA
212/2, Hadapsar, Pune 411 006, India



1 ml (0.05 ml - 20 doses / 0.1 ml - 10 doses)
Bacillus Calmette-Guerin Vaccine
(Freeze-Dried)
BCG Vaccine (*Bacillus Calmette-Guerin* strain)
contains between:
10⁶ x 10⁶ Colony Forming Units (C.F.U.)
for children under one month of age.
over one month of age and adults by intradermal
injection with 1 ml of Sodium Chloride Injection I.P.
between 2° and 8°C.
Keep the vaccine to light before and after reconstitution
as mentioned in the product leaflet.
NOT FOR SALE
DISCARD IMMEDIATELY AFTER RECONSTITUTION
Manufactured by: **MFG. LIC. NO.: MH/103204**
INSTITUTE OF INDIA PVT. LTD.
105 - 110, Manjari Bk., Pune 412 307, INDIA



Pneumococcal Polysaccharide
Conjugate Vaccine (Adsorbed) Ph.Eur.
13-valent

Prevenar 13®

M.R.P.: Refer
to carton























