
































































STERILIZATION
DATE: 12/10/2009

CE EN ISO 13485
20110701-1

LOT: 12/10/2009

01/18/2010

STEAM

2

2

PROUDLY
YELLOW / BROWN

[STEAM]

PROCESSED
GOODS

EO

2

2

STERILIZATION
DATE: 12/10/2009

LOT: 12/10/2009













CNC
03
09-03-2022
STERILIZATION REEL





Instruments (14)

⇒ Boyle Davis mouth gag

⇒ Dwyer bevel
W. gauze & plate.


uses -
• traction
• contraction
• complications?

⇒ St. Clair Thompson advanced
wurette w/ guard
point fell of
tissue into nasopharynx.

⇒ Surg.


- transilluminator
- adenoidectomy
- palate (surg.)
- cleft plate (surg.)
- post nasal drip for
- vallecular cyst
- Acrop. residual (ear)

tooth
to hold the
tissue properly



not
to pull out
guard w/ hand

- ⇒ post nasal mirror
- ⇒ laryngeal mirror
- ⇒ NG tube
- ⇒ post nasal pack
- ⇒ roll of gauze
- ⇒ nasal endoscope



@ the moment of curette
flex the head
point gressels.

gr of all fibers in base

⇒ Mayo's forceps

⇒ Dennis Bouché nasal holding forceps.

⇒ ~~Thompson's~~ Nelson's nasal dissector w/ all fibers retractor.

⇒ Eve's buccal share.



crushed - release from block

⇒ straight forceps (to hold bleeding pt)

⇒ Caukauer's suⁿ

⇒ Boker?

⇒ Shiley?

Tracheostomy?
⇒ tracheal chair.

⇒ cricoid hook

- to stabilize
trachea by
pulling up neck.








advantages of
plastic



- ✓ less expensive.
- ✓ less restrictive
- ✓ can convert to ventilator
- ✓ can give anesthesia through.
- ✓ radiotherapy
- ✓ X-ray it scan - more accurate
- ✓ MRI.




apex of pyramidal
pyramidal part covered over
(could not be seen)
larynx. out counter
pyramidal pt
subglottic
ventricle.

⇒ other uses - frontolateral
 larynx...
 control/motor/relax
 other - tracheal tube
 alveolar three lines
 cochlear implant
 trans laryngeal awake neuromus.

keep same  
 ⇒ Direct laryngoscope
 . Boycott  
 oral cavity in line w/
 larynx.  
 → induction
 → contraindication
 → complete work.

⇒ ~~Boycott~~  
 Oropharyngoscope
 (Bronchoscope - ventilation hole
 apical)  
 nasos. back like at end
 ✓ subglottis
 ✓ ventricle.

adult length - 15 cm.  
 induction
 contraindication
 procedure.
 15 cm. 6
 22.5 cm 9
 25 cm 24.5 cm 11
 at 20 cm 34.5 cm 18 cm
 at 40 cm

⇒ Thevaler Jackson metal tracheotomy hd.  
 outer tube.
 inner tube
 diameter
 flange - Paul Kelly
 ⇒ ~~Flange~~  
 insert tube fenestration - voice.
 wire flange
 break.

german silver - Cu Zn Al (copper) coated/silver.
60 20 20.

- handcuffs of tracheostomy - voice.
- left up cut
 - starting short cough/force.
 - $\otimes$ stuff.
 - $\otimes$ blow your nose.
 - ~~is~~ when going to the doctor
d/t absence of glottic stop.

tracheostomy care

- area near suction available.
one N-oks/ as where pt need.
 $\frac{1}{2}$ way

- monitor pulse, $\$P$ & R. N hrs after.
- ~~resp distress~~ ~~air flow~~ / air blast - pull out inner tube. (dim (bigger to outer tube)
if pt ok.
inner tube block $\rightarrow$ clean w/ rep.

$\otimes$ 2 separate suction
tube for trachea &
oral secretions
(saliva.) $\otimes$ same.

↓ steth.
false track $\leftarrow \otimes$ put suction catheter
pneumothorax $\leftarrow \otimes$ freely up to 10 cm
auscultate. A&L.

- humidified gases @ 30%.
- change tube (3-4 days / 5 days after tracheostomy)
↓ in 10 setup / general physician.
take out inner put other inside.

⇒ Yankauer's suction ^{pharyngeal} (rule to use the top of it)
 ^{disposable.}
 ⇒ Sengstaken - nasal speculum.
 BP Caudle is blade.

⇒ Freese's septal elevator - elevate mucoperiosteum

Balayer
sub. here
(let on loose
pull)

500 feet body
person who
painted and fired
cartridge

- Use forceps to remove ^{pull} ~~the~~ ^{bone} gently remove

diesel (sur. wtd) capped w/ hammer
 (after separating) double tapping.
 perforating - diesel on bare base
 → washed

(after separator)
perforated - diesel on base line
→ washed gauge in mallet. → washed delivery - now drill
finger end outside of rod

[illegible]

→ septal dislocation
 → Myringohuman. - out (airless puff sup) radial - from
 at middle - supradrop rupture
 w/coupe" extending part. pus accumulates
 sample cells. - pt not respond
 w/suction way. fixed paraly.
 posterior. ←
 non-aerous.
 unresolving
 - to drain all pus out.
 also in hypoplasia
 of the retractor.

- to drain all pus out.
 self retracting hemostatic washed retractor.
 also on hypodermis
 sub post for postaural
 not of skin
 rep of wound

C w / straight
→ C w / straight
C w / straight
C w / straight

✓ B.S. floured

✓ My nephew

✓ $\text{Complex}^n = \frac{\text{area}}{\text{ring}}$ productivity.

sachet.

(11)

cart.
flaps

innocent
cut
coady saw
behind the
tree

- \$8.

- PuO_2Ca

- $\text{complex}^{\vee}$
- $\text{simplex}^{\vee}$

diff. sec.
Lem.

godahe
sultan

straight

450
80°
down 6th up

Ken

① Length of leaf & cross

⇒ Has main's forep. triangular top
usually
ear drum.

General diagⁿ - hemorrhage.
nasal sig. - epistaxis
- syphilitic form
- TSS.
TSS. rash
lymphadenopathy
fever
- cutaneous lesions.

- T58. each
w/ 1000
w/ 1000
- 1st shower