



FMGE June '26

RECALL SESSION


A Mega Recall Session By
India's Top Educators

Anaesthesia



Q1. Which Mallampati class does this represent? (video given)

- a. Mallampati Class 1
- b. Mallampati Class 2
- c. Mallampati Class 3
- d. Mallampati Class 4



Anaesthesia



Q2. A 23-year-old male with abdominal trauma requires emergency laparotomy. BP is 80/50 mmHg. What is the anaesthetic agent of choice for induction in this patient?

- a. Ketamine
- b. Propofol
- c. Thiopentone
- d. Sevoflurane

Anaesthesia




Q3. A middle aged guy got into terrific road traffic accident having voice hoarse and breathing difficulties. GCS of 10. Which type of following tube will you use for endotracheal intubation ?

A)




B)



C)



D)



Anaesthesia



Q4. A 28-year-old male is posted for emergency laparotomy under general anaesthesia. During endotracheal intubation, the anaesthetist uses the instrument given below. Where should the tip of the blade be placed to obtain optimal visualization of the vocal cords?

- a. Behind the epiglottis, directly lifting it
- b. In the vallecula between the base of tongue and epiglottis
- c. Between the vocal cords
- d. In the pyriform fossa



Anaesthesia



Q5. A person is choking while swallowing and has complete airway obstruction due to a foreign body. Which is the most appropriate emergency maneuver?

- a. Blind finger sweep
- b. Heimlich maneuver (abdominal thrusts)
- c. 5 back blows and 5 chest thrusts
- d. Immediate endotracheal intubation

Anaesthesia



Q6. A patient on long term warfarin therapy is posted for surgery. What is the appropriate management in this case

- a. Stop 5 days prior and switch to LMWH
- b. Continue medication
- C. Stop on the day of surgery
- d.

Anaesthesia



Q7. A patient with a humerus fracture is scheduled for orthopedic surgery.

Regional anesthesia is planned, and a brachial plexus block is performed.

Through which approach is the brachial plexus most commonly accessed for this procedure?

- a. Supraclavicular
- b. Infraclavicular
- c. Interscalene
- d. Axillary

Anaesthesia



Q8. A patient undergoing surgery is administered succinylcholine for muscle relaxation. Shortly after administration, he develops hyperthermia, muscle rigidity, tremors, and tachycardia. What is the most appropriate treatment for this condition?

- a. Neostigmine
- b. Dantrolene sodium
- c. Atropine
- d. Midazolam



Q9. A 62-year-old obese man is placed in the position for his planned surgery as shown in the image (next slide). What is the primary reason for placing the patient in this position?

- a. To allow abdominal viscera to shift towards the diaphragm, improving exposure of the pelvic organs and surgical field.
- b. To reduce venous return and decrease intracranial pressure during pelvic surgery
- c. To increase functional residual capacity and improve pulmonary compliance during anaesthesia
- d. To prevent aspiration of gastric contents by elevating the head end.

Anaesthesia



Anaesthesia



Other questions asked:

1. ASA Classification – ASA 4
2. Triage scenario



THANK YOU