



INI-CET **MAY '26**

RECALL SESSION

**A Mega Recall Session By
India's Top Educators**



Q. Which of the following is a newer novel antidepressant?

- A. Trazodone
- B. Vilazodone
- C. Blonanserin
- D. Etizolam



Q. Which of the following statements is true regarding nicotine replacement therapy?

- A. Nicotine gums are superior to lozenges
- B. Patients are instructed not to consume liquids (tea/coffee) for 15 minutes before using nicotine gum or lozenges
- C. Varenicline carry a black box warning for CNS side effects
- D. Nicotine is primarily absorbed through the gastrointestinal route



Q. A drug user presents with pinpoint pupils and respiratory depression and unconsciousness. What is the antidote?

- A. Naloxone
- B. Atropine
- C. Fumazenil
- D. Pralidoxime



Q. A 20-month-old child presents with delayed speech development, loss of developmental milestones, microcephaly, breath holding spells, and hand wringing movements. What is the most likely diagnosis?

- A. Rett syndrome
- B. Fragile X syndrome
- C. Childhood disintegrative disorder
- D. Aspergers syndrome



Q. Which of the following statements is true regarding Korsakoff syndrome?

- A. Anterograde amnesia with loss of recent memory
- B. Loss of personal identity
- C. Implicit memory is impaired
- D. Triad of global confusion, ophthalmoplegia, ataxia



Q. A 45 year old recently divorced man with alcohol abuse says, "There is no point in living." What is the next best step in management?

- A. Cognitive behavioral therapy and weekly outpatient follow up
- B. Antidepressants and weekly outpatient follow up
- C. Hospitalisation and safety measures
- D. Reassurance that it is a transient phase



Q. What is the definition of Classical conditioning?

- A. Association of a conditioned stimulus with a conditioned response
- B. Association of an unconditioned stimulus with an unconditioned response
- C. An unconditioned stimulus produces a conditioned response after learning
- D. A conditioned stimulus produces a conditioned response after learning



Q. Match the following scenarios with their treatment

Condition	Treatment
1. Delirium tremens	A. Acamprosate
2. Smoking cessation	B. Oxazepam
3. Opioid overdose	C. Varenicline
4. Alcohol de addiction	D. Naloxone

- A. 1-B, 2-C, 3-D, 4-A
- B. 1-C, 2-B, 3-D, 4-A
- C. 1-B, 2-D, 3-C, 4-A
- D. 1-A, 2-C, 3-D, 4-B



THANK YOU